The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24742

Stream : Spy Run Creek

Applicant : City of Fort Wayne

David G Ross, PE City Engineer's Office

One Main Street, Room 750 Fort Wayne, IN 46802-1804

Description

: A 600' by 30' by 30' earthen berm will be constructed from North Clinton Street to Edgehill Avenue. The berm will have a bottom width of 30', a top width of 10' with 3 1/2 to 1 side slopes. There will be a 2' swale for drainage. The existing asphalt on Westbrook Drive between Edgehill Avenue and North Clinton street will be demolished and replaced with rain gardens on both sides of existing concrete and sidewalk. 12" HDPE pipe will be distributed throughout the rain garden project. Existing sidewalk will be removed to install overflow pipes and new sidewalk will be installed. The rain garden will be created at previously existing grade. Two 12" outfall pipes with duck bill check valves and flared steel end sections will carry excess storn water from the rain garden to Spy Run Creek. Details of the project are contained in information and plans received at the Division of Water on March 4, 2008.

Location

: Westbrook Drive between Edgehill Avenue and North Clinton Street, 750 feet along the west side of Spy Run Creek, in Fort Wayne, Washington Township, Allen County. NW 1/4, SE 1/4, Section 35; Township 31N, Range 12E, Fort Wayne West Quadrangle; 41 degrees 05 minutes 44 seconds N, 85 degrees 08 minutes 28 seconds W.

DOWNSTREAM: near Fort Wayne, Washington Township, Allen County NE¼, NW¼, SE¼, Section 35, T 31N, R 12E, Fort Wayne West Quadrangle

Quad Code: 4108512

UTM Coordinates: Downstream 4550931 North, 656207 East

UPSTREAM: near Fort Wayne,

SW1/4, SW1/4, NE1/4

UTM Coordinates: Upstream 4551103 North, 656025 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24761

Stream : South Fork Wildcat Creek

Applicant : Clinton County Highway Department

Kevin Myers

2095 Burlington Avenue Frankfort, IN 46041-8192

Description : Approximately 165' of South Fork of Wildcat Creek's eroded streambank will be

stabilized with riprap placed over a geotextile fabric to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 10', a maximum streamward projection of 2' beyond the existing bank, and 1.5:1

sideslopes. Details of the project are contained in information received electronically at the Division of Water on March 14, 2008 and in plans and

information received at the Division of Water on

Location : The project is located on the east bank of South Fork of Wildcat Creek along CR

600 West approximately 0.6 mile north of CR 200 N, approximately 6 miles

northwest of downtown Frankfort

near Frankfort, Madison Township, Clinton County Section 27, T 22N, R 2W, Frankfort Quadrangle

Quad Code: 4008635

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24764

Stream : Conns Creek

Applicant : Rockies Express Pipeline LLC

Alice Weekley

500 Dallas Street, Suite 1000 Houston, TX 77002-4718

Description : A 42" diameter steel natural gas pipeline will be placed beneath Conns Creek by

the open-cut construction method. It will have a minimum of 5' of cover beneath the streambed and a minimum of 3' in the banks. Details of the project are contained in information received electronically at the Division of Water on March

14, 2008 and in plans and information received at the Division of Water on

Location : The pipeline will cross Conns Creek about 0.7 mile southwest of Waldron about

0.8 mile north of the confluence of Conns Creek and Deer Creek, and about 0.4

mile west of the intersection of CORD E 550 S and CORD S 600 E

near Waldron, Liberty Township, Shelby County Section 31, T 12N, R 8E, Waldron Quadrangle

Quad Code: 3908546

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24769

Stream : Fall Creek

Applicant : Lawrence Utilities LLC

Dan Settle

9105 East 56th Street

Suite 2100

Indianapolis, IN 46212-2229

Description : Lawrence Utilities is planning to replace an existing production well in the

Lawrence Utilities Indian lake Wellfield. The well will consist of a 16" diameter well casing extended a minimum of 3' above the 100-year flood elevation. The well will be equipped with a platform for routine maintenance of the well, which will be erected at the top of the casing. The well will also include a 10" diameter discharge line, extending from the well casing and pump head (above the platform) to a depth of 4' below existing grade. All areas that are excavated for the well and discharge piping construction will be restored to predisturbance ground contours following construction. Details of the project are contained in information received electronically at the Division of Water on March 18, 2008

and in plans and information received at the Division of Water on

Location : Along the east bank of Fall Creek, approx. 0.5 miles south of the 79th St bridge.

near Lawrence, Lawrence Township, Marion County Section 30, T 17N, R 5E, McCordsville Quadrangle

Quad Code: 3908588

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24770

Stream : Unnamed Tributary Stony

Creek

Applicant : Hometown Development LLC

Dan Spartz

102 Natasha Drive

Noblesville, IN 46062-8464

Description

: A commercial development, Conner Pointe, wll be constructed along both banks of Elwood Wilson Ditch. The developemnt will consist of three (3) proposed commercial buildings and parking areas constructed on 3 - 10 feet of fill over various parts of the project site. The lowest floor elevation of the buildings will be 774.0, 774.5 and 775.0 feet, NGVD. Approximately 1,750 linear feet of Elwood Wilson Ditch will be relocated as part of the project. The downstream end of the stream relocation will be at the existing culvert structure at State Road 37. The relocated channel will have a 23-feet wide bottom and 2:1 side slopes. At the upstream end of the relocated channel, a diversion weir will be placed within the channel to divert low flows into an adjacent 36-inch diameter concrete storm sewer. At the downstream end of the relocated channel, another diversion weir will be constructed to act as a control structure for a regional detention basin along the south bank of the stream. The weir will be one foot wide a the bottom, 5 feet tall, and 8 feet wide at the top. The regional detention basin will include a riprapped emergency spillway to direct flood flows to the relocated channel. A local stormwater detention basin will also be constructed along the north bank of the stream just east of State Road 37. Five storm sewer outfall structures will also be placed in the area of the ponds just east of State Road 37. Two of the outfalls will measure 24 inches in diameter, two will measure 36 inches in diameter, and one outfall will measure 48 inches in diameter. Three new road/drive crossings of the relocated Elwood Wilson Ditch will be constructed at the site, with the most downsteam crossing about 500 feet east of State Road 37, the next crossing about 450 feet north of the most downstream crossing, and the northern most crossing about 500 feet north of the middle crossing. All of the crossings will be three-sided concrete box structures, with opening widths of 26 feet and opening heights of 7.4, 6.75, and 5.6 feet, respectfully. Details of the project are contained in information received electronically at the Division of Water on March 19, 2008 and in plans and information received at the Division of Water on

Location

Immediately south east of the intersection of State Rad 37 and State Road 32.

At Noblesville, Noblesville Township, Hamilton County

Section 32, T 19N, R 5E, Riverwood Quadrangle

Quad Code: 4008518

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20969

Lake : Cedar Lake

Applicant : Phil Rietveld

1664 Rietveld Drive Crete, IL 60417-3404

Description : A new vinyl seawall will be constructed across 50' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on March 6, 2008.

Location : 13920 Huseman Place

near Cedar Lake, Hanover Township, Lake County

NE1/4, SW1/4, SE1/4, Section 27, T 34N, R 9W, Lowell Quadrangle

Quad Code: 4108734

UTM Coordinates: Downstream 4579571 North, 463510 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20970

Lake : Lake Manitou

Applicant : Theodore Tomczak

2060 Admiral Court

Rochester, IN 46975-9773

Description : A new glacial stone seawall will be constructed across 80' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on March 6, 2008.

Location : 2060 Admiral Court

near Rochester, Rochester Township, Fulton County

SW1/4, NW1/4, SW1/4, Section 15, T 30N, R 3E, Rochester Quadrangle

Quad Code: 4108612

UTM Coordinates: Downstream 4544000 North, 568386 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20972

Lake : Cedar Lake

Applicant : Michael E Simmons

6150 North 325 East Howe, IN 46746-9343

Description : A new glacial stone seawall will be constructed across 140' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at

the Division of Motor on Moreh 7, 2000

the Division of Water on March 7, 2008.

Location : 6150 North 325 East

near Howe, Greenfield Township, LaGrange County

NE1/4, SW1/4, Section 22, T 38N, R 10E, Mongo Quadrangle

Quad Code: 4108563

UTM Coordinates: Downstream 4621284 North, 635916 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20978

Lake : Lake of the Woods

Applicant : Louis Earles

3898 West Shore Drive Bremen, IN 46506-9366

Description : An existing concrete seawall will be refaced across a portion of the 50' frontage of

the applicant on Lake of the Woods Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with ½" rerod. The refacing will have a maximum thickness of 13" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on March

19, 2008 and in plans and information received at the Division of Water on

Location : 3898 West Shore Drive

near Bremen, North Township, Marshall County

Section 1. T 34N

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20979

Lake : Lake of the Woods

Applicant : Bonnie Swarner

3888 West Shore Drive Bremen, IN 46506-9366

Description : An existing concrete seawall (will be) refaced across a portion of the 50ft frontage

of the applicant on Lake of the Woods Lake to prevent deterioration. The refacing (will consist) of poured in place concrete which (will be) tied to the existing wall with 1/2" rerod. The refacing (will have) a maximum thickness of 13 inches and (will be sloped) on the lakeward side. A 36 inch wide concrete walkway (will be)

constructed on top and landward of the lakeward face of the refaced wall.

Details of the project are contained in information received electronically at the Division of Water on March 19, 2008 and in plans and information received at the

Division of Water on

Location : 3888 West Shore Drive

near Bremen, North Township, Marshall County

Section 1, T 34N

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11